PRODUCT SPECIFICATION


SWEP E5T, 0211665.0-Preconfig

Configuration number (CN) with sort key: 0211665.0-Preconfig

Denomination: E5THx12/1P-SC-S 4xHOLE

Number of plates (NoP): 12

Standard dimensions



#	ММ	IN
Α	192 (+2/-2)	7.56 (0.08/-0.08)
В	73 (+1/-1)	2.87 (0.04/-0.04)
С	154 (+1/-1)	6.06 (0.04/-0.04)
D	40 (+1/-1)	1.57 (0.04/-0.04)
F	24 (+1/-1)	0.96 (0.04/-0.03)
G	7 (+1/-1)	0.28 (0.04/-0.04)
Q	2	0.08
R	16	0.63

Measurement (Tolerance)

Connections

F = Front side connections, P = Back side connections

POSITION ART. NO. DENOMINATION REIGHT (E) MATERIAL	POSITION	ART. NO.	DENOMINATION	HEIGHT (E)	MATERIAL	
--	----------	----------	--------------	------------	----------	--


Accessories

Not visible in sketch


ART. NO.	DENOMINATION
21131	STUDBOLT LOC F E5 2xM5INTx12 OCV148
22001	INK MARKING STD. E UNITS SYMETRIC (SIDE F2-F4)



PED Pressure / Temperature



UL Pressure / Temperature



Product Data

PED Category	SEP	
Total weight, including connections	1.0 kg	
Total Heat Transfer area	0.1 m ² (1.3 ft ²)	
Hold up volume circuit 1	0.12 dm³ (0.004 ft³)	
Hold up volume circuit 2	0.144 dm³ (0.005 ft³)	

MATERIALS

316/316L stainless steel plates, copper brazing

Disclaimer

The information and recommendations in regards to the products are presented in good faith, however, SWEP makes no representations or warranties as to the completeness or accuracy of the information. Information is supplied upon the condition that the purchasers will make their own determination as to the products' suitability for their purposes prior to use. Purchasers should note that the properties of the products are both application and material selection dependent and that products containing stainless steel are still object to corrosion if used in unsuitable environments. Standard data is presented, product variants with different data may exist. Contact your SWEP sales representative for more details. SWEP may change any data without notice.

